

BE EXCEPTIONAL.



**NEMO**

NEW EVOLUTION MILITARY ORDNANCE

2020 CATALOG



NEMO Arms, Inc. is a world leader in weapon systems integration. Committed to research and development to deploy advanced, highly accurate weapon designs and technologies that enable our partners in Special Operations, Federal Law Enforcement and the private sectors to effectively and confidently carry out their missions.



# RIFLES

Each NEMO rifle is hand built by a single technician, test fired, cleaned, and inspected for lasting quality. Our in house machine shop meticulously manufactures each barrel to our specifications. Partnering with the most respected barrel blank manufacturer in the industry, NEMO sets itself apart as the only Semi-Automatic firearms company to use Bartlein barrel blanks. We are dedicated to providing the most innovative rifles that will last for generations to come.

# DAKKAR SHORT ACTION

SKU: DKR-SA65CM-22R

<b>Caliber</b> 6.5 Creedmoor	<b>Barrel Length</b> 22 in	<b>Rifle Length</b> 32 in folded; 45 in extended	<b>Weight</b> 10 lb
---------------------------------	-------------------------------	---	------------------------



**Foldable Stock**  
either left or right with tight lock up

**Two-Stage Trigger**  
adjustable pull & over travel w/o disassembly

**3 Lug Action**  
60" throw - AR style extractor  
plunger ejector side bolt release

**Tool-less Barrel Change System**  
22" 6.5CM Barrel; 1:8 Twist; Match  
Grade; 5/8-24 Thread

**Light Weight Components**  
corrosion resistant coatings

**Ambidextrous Ergonomics**  
safety, mag release, grip panels

**Tool-less Length Adjustment**  
recoil pad height & cant

**Ergonomic Bolt Knob**

# DAKKAR SHORT ACTION

SKU: DKR-SA308-20R

<b>Caliber</b> .308 Winchester	<b>Barrel Length</b> 20 in	<b>Rifle Length</b> 30 in folded; 43 in extended	<b>Weight</b> 10 lb
-----------------------------------	-------------------------------	---	------------------------



**Foldable Stock**  
either left or right with tight lock up

**Two-Stage Trigger**  
adjustable pull & over travel w/o disassembly

**3 Lug Action**  
60" throw - AR style extractor  
plunger ejector side bolt release

**Tool-less Barrel Change System**  
22" 6.5CM Barrel; 1:8 Twist; Match  
Grade; 5/8-24 Thread

**Light Weight Components**  
corrosion resistant coatings

**Ambidextrous Ergonomics**  
safety, mag release, grip panels

**Tool-less Length Adjustment**  
recoil pad height & cant

**Ergonomic Bolt Knob**

# OMEN Watchman

SKU: OMENW-G324CF

<b>Caliber</b> 300 Win Mag	<b>Barrel Length</b> 24 in	<b>Rifle Length</b> 45.5 in	<b>Weight</b> 10.2 lb
-------------------------------	-------------------------------	--------------------------------	--------------------------



**NEMO upper & lower receiver set**  
billet 7076-T6 hard anodize tiger stripe

**Patented recoil reduction carrier**  
8620 heat treated nickel boron coated.

**24-inch Proof carbon fiber 1:8 twist barrel**

**10 round and 14 round magazine**  
with aluminum follower

**Geissele Super semi-automatic enhanced (SSA-E) two stage trigger**  
first 2.3lbs; second 1.2lbs

**High pressure bolt**  
9310 heat treated Cryo'd shot peened MPI nickel boron coated

**Magpul PRS adjustable rifle stock**  
and Miad pistol grip

**15" 6061 M-LOK modular rail**  
1.83" internal diameter steel QD mounts rotation limited

# OMEN Match 3.0

SKU: OMENM-G322

<b>Caliber</b> 300 Win Mag	<b>Barrel Length</b> 22 in	<b>Rifle Length</b> 43.5 in	<b>Weight</b> 11.2 lb
-------------------------------	-------------------------------	--------------------------------	--------------------------



**NEMO upper & lower receiver set**  
billet 7076-T6 Tungsten Cerakote

**Patented recoil reduction carrier**  
8620 heat treated nickel boron coated.

**NEMO 22" 416R stainless steel barrel**  
1:8 twist 5R rifling Bartlein blank

**Barrel turned in house**  
for optimal accuracy performance

**Geissele Super semi-automatic enhanced (SSA-E) two stage trigger**  
first 2.3lbs; second 1.2lbs

**Suppressor ready**  
with a four-position adjustable gas system

**Magpul PRS adjustable rifle stock and Miad pistol grip**

**15" 6061 M-LOK modular rail**  
1.83" internal diameter steel QD mounts rotation limited

# OMEN Recon

SKU: OMENREC-G318

<b>Caliber</b> 300 Win Mag	<b>Barrel Length</b> 18 in	<b>Rifle Length</b> 39.75 in	<b>Weight</b> 10.5 lb
-------------------------------	-------------------------------	---------------------------------	--------------------------



**NEMO upper & lower receiver set**  
billet 7076-T6 Cobalt Cerakote

**Patented recoil reduction carrier**  
8620 heat treated nickel boron coated.

**NEMO 18" 416R stainless steel barrel**  
1:8 twist 5R rifling Bartlein blank

**Barrel turned in house**  
for optimal accuracy performance

**Geissele Super semi-automatic enhanced (SSA-E) two stage trigger**  
First 2.3lbs Second 1.2lbs

**Suppressor ready**  
with a four-position adjustable gas system

**High pressure bolt**  
9310 heat treated Cryo'd shot peened MPI nickel boron coated

**15" 6061 M-LOK modular rail**  
1.83" internal diameter steel QD mounts rotation limited

# OMEN M-210

SKU: OMEN-M210

<b>Caliber</b> 300 Win Mag	<b>Barrel Length</b> 20 in	<b>Rifle Length</b> 41.5 in	<b>Weight</b> 10.2 lb
-------------------------------	-------------------------------	--------------------------------	--------------------------



**Two-position adjustable gas system**  
for suppressed/unsuppressed shooting

**Patented recoil reduction carrier**  
8620 heat treated nickel boron coated.

**High pressure bolt**  
9310 heat treated Cryo'd shot peened MPI nickel boron coated

**15" 6061 M-LOK modular rail**  
1.83" internal diameter steel QD mounts rotation limited



# X0 Carbon

SKU: X0308-20CF

<b>Caliber</b> .308 Win	<b>Barrel Length</b> 20 in	<b>Rifle Length</b> 38.5 in	<b>Weight</b> 8.2 lb
----------------------------	-------------------------------	--------------------------------	-------------------------



**NEMO full ambi-control upper and lower receiver set**  
billet 7076-T6 tungsten grey Cerakote

**20 inch lightweight Proof Research carbon fiber barrel**

**The only .308 patterned AR with patented carrier recoil reduction system**

**Two-position adjustable gas system**  
for suppressed/unsuppressed shooting

**Lightweight design**  
incorporating truly functional aesthetics

**NEMO dual chamber compact muzzle brake**  
6AL-4V titanium

**Geissele Super semi-automatic enhanced (SSA-E) two stage trigger**  
first 2.3lbs; second 1.2lbs

**15" 6061 M-LOK modular rail**  
1.83" internal diameter steel QD mounts rotation limited



nemoarms.com

# XO Carbon

SKU: X065CM-20CF

<b>Caliber</b> 6.5 Creedmoor	<b>Barrel Length</b> 20 in	<b>Rifle Length</b> 38.5 in	<b>Weight</b> 8.2 lb
---------------------------------	-------------------------------	--------------------------------	-------------------------



**NEMO full ambi-control upper and lower receiver set**  
billet 7076-T6 tungsten grey Cerakote

**20 inch lightweight Proof Research carbon fiber barrel**

**The only .308 patterned AR with patented carrier recoil reduction system**

**Two-position adjustable gas system**  
for suppressed/unsuppressed shooting

**Lightweight design**  
incorporating truly functional aesthetics

**NEMO dual chamber compact muzzle brake**  
6AL-4V titanium

**Geissele Super semi-automatic enhanced (SSA-E) two stage trigger**  
first 2.3lbs; second 1.2lbs

**15" 6061 M-LOK modular rail**  
1.83" internal diameter steel QD mounts rotation limited

# XO Steel

SKU: X0308-16SS

<b>Caliber</b> .308 Winchester	<b>Barrel Length</b> 16 in	<b>Rifle Length</b> 34.25 in	<b>Weight</b> 8.2 lb
-----------------------------------	-------------------------------	---------------------------------	-------------------------



**PATENTED recoil reduction carrier**  
8620 heat treated nickel boron coated

**Two position adjustable gas system**  
for suppressed/unsuppressed shooting

**16" Bartlein blank in house machined barrel**  
1:8 twist 416 stainless

**Geissele Super Dynamic Enhanced (SD-E) two stage trigger**  
first stage 2.3lbs; second 1.2lbs

**Guaranteed sub-moa accuracy**  
with quality ammunition and optic

**NEMO dual chamber compact muzzle brake**  
6AL-4V titanium

**Lightweight and compact**  
for multi-role use

**15" 6061 M-LOK modular rail**  
1.83" internal diameter steel QD mounts rotation limited

# XO Steel

SKU: X0308-20SS

<b>Caliber</b> .308 Winchester	<b>Barrel Length</b> 20 in	<b>Rifle Length</b> 38.5 in	<b>Weight</b> 9.3 lb
-----------------------------------	-------------------------------	--------------------------------	-------------------------



**PATENTED recoil reduction carrier**  
8620 heat treated nickel boron coated

**20" Bartlein blank in house machined barrel**  
1:8 twist 416 stainless

**Guaranteed sub-moa accuracy**  
with quality ammunition and optic

**Lightweight and compact**  
for multi-role use

**Two position adjustable gas system**  
for suppressed/unsuppressed shooting

**Geissele Super Dynamic Enhanced (SD-E) two stage trigger**  
first stage 2.3lbs; second 1.2lbs

**NEMO dual chamber compact muzzle brake**  
6AL-4V titanium

**15" 6061 M-LOK modular rail**  
1.83" internal diameter steel QD mounts rotation limited

# XO Steel

SKU: X065CM-22B

<b>Caliber</b> 6.5 Creedmoor	<b>Barrel Length</b> 22 in	<b>Rifle Length</b> 40.5 in	<b>Weight</b> 9.5 lb
---------------------------------	-------------------------------	--------------------------------	-------------------------



**PATENTED recoil reduction carrier**  
8620 heat treated nickel boron coated

**22" Bartlein blank in house machined barrel**  
1:8 twist 416 stainless

**Guaranteed sub-moa accuracy**  
with quality ammunition and optic

**Lightweight and compact**  
for multi-role use

**Two position adjustable gas system**  
for suppressed/unsuppressed shooting

**Geissele Super Dynamic Enhanced (SD-E) two stage trigger**  
first stage 2.3lbs; second 1.2lbs

**NEMO dual chamber compact muzzle brake**  
6AL-4V titanium

**15" 6061 M-LOK modular rail**  
1.83" internal diameter steel QD mounts rotation limited



# BATTLE-LIGHT SYN-COR

SKU: SYNCOR-556

<b>Caliber</b> 5.56 NATO	<b>Barrel Length</b> 17 in	<b>Rifle Length</b> 35.5 in (extended) 32.25 in (collapsed)	<b>Weight</b> 8 lb
-----------------------------	-------------------------------	---	-----------------------



**NEMO upper and lower receiver set**  
billet 7075-T6 NEMO grey Cerakote

**Piston/gas hybrid**  
runs cleaner while providing  
exceptional suppression

**Ambidextrous**  
safety, mag release and charging  
handle

**Integrally suppressed**

**CMC flat bow 3.5lb pull trigger**

**Nickle boron coated bolt carrier**

**Titanium through drilled takedown  
and pivot pins**

**15" 6061 M-LOK modular rail**

# BATTLE-LIGHT

SKU: BL-223W-16R

<b>Caliber</b> .223 Wylde	<b>Barrel Length</b> 16 in	<b>Rifle Length</b> 32.75 in	<b>Weight</b> 6.2 lb
------------------------------	-------------------------------	---------------------------------	-------------------------



**NEMO upper and lower receiver set**  
billet 7075-T6 burnt bronze Cerakote

**Mid-length gas system**  
for superior shooting experience

**16" 1:8 twist 416R Stainless .223  
Wylde chamber**  
bead blasted finish

**CMC flat bow**  
3.5 lb pull trigger

**Ambidextrous**  
safety, mag release and charging  
handle

**Nickel boron coated bolt carrier**

**Titanium through drilled takedown  
and pivot pins**

**15" 6061 M-LOK modular rail**  
1.83" internal diameter steel QD  
mounts rotation limited

# BATTLE-LIGHT (Pistol)

SKU: BL-556-8P

<b>Caliber</b> 5.56 NATO	<b>Barrel Length</b> 8 in	<b>Rifle Length</b> 26.5 in	<b>Weight</b> 5.6 lb
-----------------------------	------------------------------	--------------------------------	-------------------------



**NEMO Billet upper and lower receiver set**  
7075-T6 burnt bronze Cerakote

**8" 1:7 twist 5.56mm barrel**  
5R Rifling 4150 CrMoV

**Carrier**  
8620 heat treated nickel boron coated

**Ambidextrous**  
safety mag release and charging handle

**Blast deflecting flash can muzzle device**

**Multi-position "pistol" receiver extension**

**Pistol length gas system with tuned port**

**10.25" 6061 M-LOK modular rail**  
1.83" Internal Diameter steel QD mounts rotation limited

# BATTLE-LIGHT (Pistol)

SKU: BL-300-8P

<b>Caliber</b> 300 BLK	<b>Barrel Length</b> 8 in	<b>Rifle Length</b> 26.5 in	<b>Weight</b> 5.6 lb
---------------------------	------------------------------	--------------------------------	-------------------------



**NEMO Billet upper and lower receiver set**  
7075-T6 graphite grey Cerakote

**8" 1:7 twist .300 BLK barrel**  
5R rifling 4150 CrMoV

**Carrier**  
8620 heat treated nickel boron coated

**Ambidextrous**  
safety mag release and charging handle

**Blast deflecting flash can muzzle device**

**Multi-position "pistol" receiver extension**

**Pistol length gas system with tuned port**

**10.25" 6061 M-LOK modular rail**  
1.83" Internal Diameter steel QD mounts rotation limited

# BATTLE-LIGHT VALKYRIE

SKU: BL-224V-20R

<b>Caliber</b> .224 Valkyrie	<b>Barrel Length</b> 20 in	<b>Rifle Length</b> 40 in	<b>Weight</b> 7 lb
---------------------------------	-------------------------------	------------------------------	-----------------------



**NEMO upper and lower receiver set**  
Billet 7076-T6 Cerakote Sniper Green

**20" Barrel mid-length gas system**  
machined in house 1:7 twist

**NEMO dual chamber compact muzzle brake**  
6AL-4V titanium

**15" 6061 M-LOK modular rail**  
1.83" internal diameter steel QD mounts rotation limited

**CMC flat bow**  
3.5 pound pull trigger

**Ambidextrous**  
safety, charging handle, and magazine release

**Titanium through drilled takedown and pivot pins**

**Lightweight design**  
for multi-role use





# SUPPRESSORS

NEMO Arms has been at the forefront in suppressor technology through innovative design, and partnerships within the firearms community. Our technology that was developed for USSOCOM is now available to all of our customers. NEMO is proud to introduce a line of validated and tested suppressors that will enhance the shooting experience. From law enforcement, to the hunting field, a NEMO suppressor is the perfect compliment to your rifle.



## Reaper-QD .338 LAPUA

SKU: S-338-QD

Reaper-QD for .338 Lapua comes with either a direct thread mount or QD mount setup.

\*For barrels: 24" or longer .338 Lapua.

### QD mount

<b>Caliber</b> .338 Lapua
<b>Sound Reduction</b> 35 dB
<b>Length</b> 11.125 in
<b>Diameter</b> 1.875 in
<b>Weight</b> 27.6 oz
<b>Materials</b> Titanium/ Aluminum
<b>Finish</b> High-Temp. Cerakote
<b>Mount</b> 5.8-24 2B or 3/4-24 2B

### Direct Thread mount

<b>Caliber</b> .338 Lapua
<b>Sound Reduction</b> 32 dB
<b>Length</b> 9.375 in
<b>Diameter</b> 1.5 in
<b>Weight</b> 18.5 oz
<b>Materials</b> Titanium/ Aluminum
<b>Finish</b> High-Temp. Cerakote
<b>Mount</b> 5.8-24 2B or 3/4-24 2B



## Coyote-DT 300 WIN MAG

SKU: S-300-DT

Coyote-DT for 300 WIN MAG comes with a built-in patented retention system to keep the suppressor from backing off during operation.

Packing includes the following: (1) 300 WIN MAG suppressor.

\*For barrels: 18" minimum length 300 WIN MAG.



<b>Caliber</b>	300 WIN MAG
<b>Sound Reduction</b>	28 dB
<b>Length</b>	8.8 in
<b>Diameter</b>	1.5 in
<b>Weight</b>	15.1 oz
<b>Materials</b>	Titanium
<b>Finish</b>	High-Temp. Cerakote
<b>Mount</b>	5/8-24 Direct Thread

## Predator-DT 6.5 CREEDMOOR

SKU: S-6.5-DT

Predator-DT for 6.5 Creedmoor comes with a built-in patented retention system to keep the suppressor from backing off during operation.

Packing includes the following: (1) 6.5 Creedmoor suppressor.

\*For barrels: 18" minimum length 6.5 Creedmoor.



<b>Caliber</b>	6.5 Creedmoor
<b>Sound Reduction</b>	28 dB
<b>Length</b>	8.8 in
<b>Diameter</b>	1.5 in
<b>Weight</b>	15.1 oz
<b>Materials</b>	Titanium
<b>Finish</b>	High-Temp. Cerakote
<b>Mount</b>	5/8-24 Direct Thread

## Scout-DT 7.62mm NATO

SKU: S-7.62-DT

Scout-DT for 7.62mm NATO comes with a built-in patented retention system to keep the suppressor from backing off during operation and mounts via direct connect 5/8 - 24 2B threads.

Packing includes the following: (1) 7.62mm suppressor.

\*For barrels: 16" or longer 7.62, NATO, 10.5" or longer 5.56mm NATO, 10.5" or longer 6.8 SPC, 8" or longer 7.62 x 39, 7.5" or longer 300BLK



<b>Caliber</b>	7.62 NATO
<b>Sound Reduction</b>	32 dB
<b>Length</b>	7.8 in
<b>Diameter</b>	1.5 in
<b>Weight</b>	13.1 oz
<b>Materials</b>	Titanium
<b>Finish</b>	High-Temp. Cerakote
<b>Mount</b>	5/8-24 Direct Thread

## Elite-FA-QD 5.56mm NATO

SKU: S-5.56-FA-QD

The heavy-duty Elite-FA-QD for 5.56mm NATO is rated for full-auto fire and mounts with a Bi-Lock quick disconnect flash hider with standard 1/2 - 28 - 2B threads.

Packing includes the following: (1) 5.56mm suppressor, (1) 1/2 - 28 - 2B quick attach flash hider (others available upon request).

\*For barrels: 10.5" minimum length 5.56x45/223.



<b>Caliber</b>	5.56 NATO
<b>Sound Reduction</b>	32 dB
<b>Length</b>	7.0 in
<b>Diameter</b>	1.5 in
<b>Weight</b>	16.1 oz
<b>Materials</b>	Titanium/ Inconel
<b>Finish</b>	High-Temp. Cerakote
<b>Mount</b>	Bi-Lock QD

## Operator-HD-QD 5.56mm NATO

SKU: S-5.56-HD-QD

The heavy-duty Operator-HD-QD for 5.56mm NATO comes with a removable core for cleaning and servicing as needed and mounts with a Bi-Lock quick disconnect flash hider with standard 1/2 - 28 - 2B threads.

Packing includes the following: (1) 5.56mm suppressor, (1) servicing tool for removable core, (1) 1/2-28 flash hider.



\*For barrels: 10.25" minimum length 5.56x45/223.

<b>Caliber</b>	5.56 NATO
<b>Sound Reduction</b>	32 dB
<b>Length</b>	7.0 in
<b>Diameter</b>	1.5 in
<b>Weight</b>	15.5 oz
<b>Materials</b>	Titanium/ Inconel
<b>Finish</b>	High-Temp. Cerakote
<b>Mount</b>	Bi-Lock QD

## Operator-TAC-DT 5.56mm NATO

SKU: S-5.56-DT

The heavy-duty Operator TAC-DT for 5.56mm NATO is rated for full-auto fire and is mounted with a Direct Thread mount with standard 1/2 - 28 - 2b threads.

Packing includes the following: (1) 5.56mm suppressor.

\*For barrels: 10.5" minimum length 5.56x45/223



<b>Caliber</b>	5.56 NATO
<b>Sound Reduction</b>	32 dB
<b>Length</b>	6.0 in
<b>Diameter</b>	1.5 in
<b>Weight</b>	12 oz
<b>Materials</b>	Titanium/ Inconel
<b>Finish</b>	High-Temp. Cerakote
<b>Mount</b>	Direct Thread

## Operator-Comp-DT 5.56mm NATO

SKU: S-5.56-COMP-DT

Operator-Comp for 5.56mm NATO comes with a removable core for cleaning and servicing as needed. It also comes with a built-in patented retention system to keep the suppressor from backing off during operation.

Packing includes the following: (1) 5.56mm suppressor, (1) servicing tool for removable core.

\*For barrels: 10.25" minimum length 5.56x45/223



<b>Caliber</b>	5.56 NATO
<b>Sound Reduction</b>	19 dB
<b>Length</b>	4.5 in
<b>Diameter</b>	1.5 in
<b>Weight</b>	9.3 oz
<b>Materials</b>	Titanium/ Inconel
<b>Finish</b>	High-Temp. Cerakote
<b>Mount</b>	1/2-28 Thread

## NOMAD-Multi-Cal Multi-Cal

SKU: S-7.62-MULTI-CAL

NOMAD-Multi-Cal is set up with everything you need to suppress shots from 22 caliber all the way to 300 WIN MAG.

Packing includes the following: (1) multi caliber suppressor, direct thread attachments (1) 1/2 - 28 thread insert and (1) 5/8 - 24 thread insert, quick attach flash hidrs for (1) 5.56mm and (1) 7.62NATO, (1) assembly/disassembly tool.

\* For barrels: 24" minimum length 300WM, 12.5" minimum length 7.62x51/.308 WIN, 7.5" minimum length 5.56x45/223, 7.5" minimum length 300 BLK.



<b>Caliber</b>	Multiple*
<b>Sound Reduction</b>	32 dB
<b>Length</b>	7.5 in
<b>Diameter</b>	1.5 in
<b>Weight</b>	16 oz
<b>Materials</b>	Titanium/ Inconel
<b>Finish</b>	High-Temp. Cerakote
<b>Mount</b>	Multiple



# COMPONENTS & ACCESSORIES

Precision components make up the core of our rifles. Individually, these components stand out as a trusted choice for your custom build. Titanium muzzle devices, lightened receiver sets, and precision manufactured barrels represent a small sample of the ever expanding line of quality NEMO components and accessories for your next project.



## XO

### Large Frame Receiver Set

**SKU:** XO-308-RS

**Weight:** 20.4 oz

**Features:**

7075-T6 Billet aluminum construction

Lightweight design

Full ambidextrous control

Tensioning screw for an assured tight fit



## BATTLE-LIGHT

### Small Frame Receiver Set

**SKU:** BL-556-RS

**Weight:** 15.5 oz

**Features:**

CNC machined billet 7075-T6 aluminum

Lightening cuts in key areas to reduce weight

Screw in bolt catch retention pin -included-

M4 feed ramps machined into upper



## Takedown Pins

### Large Frame AR

**SKU:** XO-308-TDP

**Weight:** .4 oz

**Length:** .278 in

**Features:**

Made from 6AL-4V titanium

Bead blasted for a matte finish



## Takedown Pins

### Small Frame AR

**SKU:** BL-556-TDP

**Weight:** .2 oz

**Length:** .248 in

**Features:**

Made from 6AL-4V titanium

Bead blasted for a matte finish





## Steel Barrels

Built for accuracy and longevity, NEMO barrels start from premium blanks and are turned, chambered, and threaded in house.

### .224 VALKYRIE | 20"

**SKU:** 224V-20-B

**Weight:** 3 lbs

**Features:** 416 Stainless Steel; 1:7 Twist; 1/2-28 Muzzle Thread; Rifle Length Gas System



### .308 WIN | 20"

**SKU:** 308-20-BB

**Weight:** 3.65 lbs

**Features:** 416 Stainless Steel; 1:7 Twist; 5/8-24 Muzzle Thread; Rifle Length Gas System



### .308 WIN | 16"

**SKU:** 308-16-BB

**Weight:** 2.9 lbs

**Features:** 416 Stainless Steel; 1:8 Twist; 5/8-24 Muzzle Thread; Mid Length Gas System



### 5.56 NATO | 16"

**SKU:** 556-16-B

**Weight:** 1.7 lbs

**Features:** 416 Stainless Steel; 1:8 Twist; 1/2-28 Muzzle Thread; Mid Length Gas System



### 5.56 NATO | 11.5"

**SKU:** 556-11.5-B

**Weight:** 1.3 lbs

**Features:** 416 Stainless Steel; 1:8 Twist; 1/2-28 Muzzle Thread; Carbine Length Gas System



## Handguards

The wide construction of the NEMO handguard provides superior heat shielding, as well as the ability to accommodate custom builds with suppressors.

Large inner diameter accommodates many under guard suppressors (1.83 in)

M-LOK™ slots at 3, 6, and 9 o'clock positions accept M-LOK™ compatible accessories.

Integrated rail at 12 o'clock with engraved T-marks

6061-t6 aluminum alloy extrusion

Mil-Spec hard anodize type 3 (black)

Integrated rotation limited steel quick disconnect sling mounts

Innovative mounting system provides a rigid and lightweight solution

Stainless steel fasteners and retainers ensure corrosion resistance

3" Picatinny rail mounts included

### 5.56 NATO | 10.3"

**SKU:** BL-556-HG-10

**Weight:** 10.7 oz

7075-T6 barrel nut, type 3 hard anodize, (1.25-18 Thread)



### 5.56 NATO | 15"

**SKU:** BL-556-HG-15

**Weight:** 13.5 oz

7075-T6 barrel nut, type 3 hard anodize, (1.25-18 Thread)



### .308 WIN | 15"

**SKU:** XO-308-HG-15

**Weight:** 13.5 oz

7075-T6 barrel nut, type 3 hard anodize, (1.4375-16 Thread)





## Large Frame Bolt Carrier Group Buffer Kit

Nemo's patented bolt carrier and buffer system has never been offered in a builder's kit until now. The same quality components, high-envd coatings, and innovative recoil reduction technology that are used in NEMO's OMEN and XO model lineup are now available in a kit for your large frame AR. The technology in the bolt carrier group reduces bolt speeds and felt recoil when the recoiling mass bottoms out in the buffer tube.

308 Win Kit

**SKU:** XO-308-RR-BCG-K  
**BCG Weight:** 11.7 oz



## Bolt Carrier Group

Carrier - case hardened 8620 steel, nickel boron coated  
Bolt - case hardened 9310 steel, nickel boron coated  
Firing Pin - hard chrome plated and ground  
Gas Key - nickel boron coated, staked, 4130 steel  
Includes cam pin, extractor with spring, rubber insert, and o-ring support

223/5.56

**SKU:** BL-556-BCG  
**Weight:** 11.7 oz

.224 Valkyrie

**SKU:** BL-224V-BCG  
**Weight:** 11.7 oz



## Titanium DC-1 Muzzle Break

**.308 SKU:** XO-308-BK

**5.56 SKU:** BL-556-BK

**Weight:** 1.3 oz

**Features:**

30 caliber/7.62mm and 5.56 or smaller applications  
Threaded 5/8 x 24 and 1/2x28 TPI for most common barrels

Machined from certified 6AL-4V titanium

Bead blasted for a matte finish



## Ambidextrous Magazine Release

**SKU:** BL-556-AMR

**Weight:** 1.3 oz

**Length:** 2.06 in

**Features:**

5.56 or .308 applications

Texture pad for tactile denotation of button location

Simple installation

Machined from steel with DLC coating

Laser engraved Nemo logo



## Custom Carbine Buffer Spring .300 Blackout

**SKU:** 300BLK-S

NEMO Arms has engineered a custom carbine buffer spring for carbine length gas systems or troublesome .300 Blackouts that are undergassed. This spring was designed around a rifle with a 16" barrel and a carbine gas system.



## Bipod Aluminum Alloy

**SKU:** BRB-G200

The NEMO Bolt Action Bipod with the quick detach was designed, engineered, and manufactured in the USA. This smaller bipod is convenient for a more grounded shot. The BR-4 is 100% billet, made from the highest quality aircraft aluminum available.



## 10 or 14-Round Magazine OMEN .300 WIN MAG

**SKU:** OMN-LC110-2 (10) | OMN-LC110-1 (14)

This rugged polymer magazine was engineered from the ground up based on belted magnums. The magazine features an anti-tilt follower, 14 round capacity, stainless steel spring. Magazine disassembles easily for cleaning.



## Vice Block .OMEN Upper Receiver

**SKU:** OMN-UI63-6C

You can service your OMEN/308/AR-15 with our multi-caliber upper receiver vice block. It is a great tool to mount to your scope or clean your barrel and upper.



# NEMO GEAR

Wear your NEMO gear with pride!

Shirts and hats for the range, or out on the town, NEMO has you covered.



T-Shirt  
Black Tri-Bolt



Sandbag  
Highlander Kryptek



T-Shirt  
Grey or Black with  
NEMO Logo



Fitted Cap  
Black Tri-Bolt



Adjustable Cap  
NEMO Logo w/ Kryptek





Follow us



nemoarms



nemo\_arms





NEMO arms was founded in 2011 as a firearms company with a passion for innovation. In 2012, NEMO Arms turned the industry upside down with the release of the world's first viable .300 Win Mag AR pattern rifle. NEMO arms continues to expand and innovate, with recoil reduction systems, sound suppression, and cutting edge accuracy.

## Quick Facts

Extensive industry experience.  
Strong reputation with Law Enforcement.  
Utilizing fully integrated manufacturing facility  
Proven track record for innovation  
Three current patents  
Utilizing manufacturers only ISO 9001 Certified

## Current Patents

9,103,611 – Aug. 8, 2012: B2 Compressible Bolt Carrier Extension System  
10,330,420 B2 – June. 25, 2019: Suppressor Assembly  
10,458,732 B2 – Oct. 29, 2019: Bolt Carrier System

### Utilizing Current Patents:

5,029,512 – July 9, 1991: Firearms Muzzle Silencer  
5,559,302 – Sept. 4, 1996: Bayonet Type Coupling For Firearm  
5,685,102 – Nov. 11, 1997: Snap-On Firearms Adapter  
8,210,087 – July 3, 2012: Apparatus for Securing a Suppressor to Firearm  
8,910,745 – Dec. 16, 2014: Ported Weapon Silencer  
8,991,551 – March 31, 2015: Weapon Silencer & Baffles  
8,991,552 – March 31, 2015: Weapon Silencer & Method of Making Silencer

## Contact us

208.461.1213  
[sales@nemoarms.com](mailto:sales@nemoarms.com)

2820 Brandt Ave  
Nampa, ID 83687





©2019 Nemo Arms. All Rights Reserved